CLAIMS

What is claimed is:

- A computer system comprising,
 a central processing unit (CPU);
 a memory unit coupled to the CPU;
 an application stored in the memory unit and executable by the CPU; and
 a facade server stored in the memory unit and executable by the CPU,
 wherein the facade server hosts the application without utilizing
 network protocols.
- 2. The system of claim 1 further comprising a program stored in the memory unit and executable by the CPU, wherein the program creates an interface between the facade server and a web-browser for exchanging data associated with the application.
- 3. The system of claim 1 wherein the program interacts with the facade server through a local protocol registered on the system.
- 4. The system of claim 1 wherein the application comprises one of a plurality of applications hosted by the facade server without utilizing network protocols.
- 5. The system of claim 1 wherein the application, the facade server, and the interface utilize a common address space.
- 6. The system of claim 1 further comprising a web-server, wherein the webserver handles connections to the application when operating in a network mode, and the facade server handles connections to the application when operating in a local-only mode.
- A method comprising:
 generating application data from a web-based application; and

exchanging the application data with a user of the web-based application through a local protocol.

- 8. The method of claim 7 wherein the user interacts with the web-based application through a web-browser.
- 9. The method of claim 7 wherein the local protocol uses a data transfer mechanism selected from the group consisting of software component models, named data pipes, memory mapped I/O streams, data files, and a combination thereof.
- 10. The method of claim 7 wherein the web-based application generates the application data by utilizing a web-based technology selected from the group consisting of Perl, Java®, JavaScript®, active server pages (ASP), hypertext preprocessing (PHP), hypertext markup language (HTML), and a combination thereof.
- 11. The method of claim 7 further comprising hosting the web-based application with a facade server.
- 12. A computer readable media storing instructions executable by a computer system, and when executed the instructions implement a method comprising:

generating application data from a web-based application; and exchanging the application data with a user of the web-based application without utilizing a network protocol.

- 13. The computer readable media of claim 12 wherein the user interacts with the web-based application through a web-browser.
- 14. The computer readable media of claim 12 wherein the local protocol uses a data transfer mechanism selected from the group consisting of software

component models, named data pipes, memory mapped I/O streams, data files, and a combination thereof.

- 15. The computer readable media of claim 12 wherein the web-based application generates the applications using a web-based technology selected from the group consisting of Perl, Java, JavaScript, active server pages (ASP), hypertext preprocessing (PHP), and hypertext markup language (HTML), and a combination thereof.
- 16. The computer readable media of claim 12 further comprising hosting the web-based application with a facade server.
- 17. A computer system comprising:
 - a means for executing programs;
 - a means for storing data coupled to the means for executing programs;
 - a means for generating application data from a web-based application, wherein the web-based application is stored in the means for storing data and executable by the means for executing programs; and
 - a means for hosting the web-based application, wherein the means for hosting the web-based application is stored in the means for storing data and executable by the means for executing programs; and
 - wherein the means for hosting the web-based application does not utilize network protocols.
- 18. The system of claim 17 wherein a program executed by the means for executing programs interfaces the means for generating application data with a means for viewing the application data.
- 19. The system of claim 17 wherein the means for hosting the web-based application is capable of mimicking a plurality of web-servers.

- 20. The system of claim 17 wherein the web-based application comprises a plurality of web-based applications.
- 21. The system of claim 17 further comprising means for hosting data on a network, wherein the means for hosting data on a network is stored in the means for storing data and is executable by the means for executing programs; and wherein the means for hosting data on a network handles connections to the web-based application when the system is operating in a network mode, and the means for hosting the web-based application without utilizing network protocols handles connections to the web-based application when operating in a local-only mode.